



1. Identification

Product name: dricrete™

Supplier: dricrete™

4469 Admiralty Way

Marina del Rey, CA 90292

www.dricrete.us

Telephone: (818) 606-7972

E-mail address: tim@dricrete.us

Emergency telephone: CHEMTREC: 800-424-9300

INTERNATIONAL: 703-527-3887

Recommended use of the

chemical and restrictions on use: For further information, refer to product data sheet.

2. Hazards Identification

GHS Classification

Skin corrosion, Category 1C
Serious eye damage, Category 1
Skin sensitization, Category
Carcinogenicity, Category 1A (Inhalation)
Specific target organ systemic toxicity single exposure, Category 3, Respiratory
system

GHS label elements

Hazard pictograms:

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction. H350i: May cause cancer by inhalation.

H335: May cause respiratory irritation.







Signal Word:

Danger

Hazard Statements: H314 Causes severe skin burns and eye damage. H317

May cause an allergic skin reaction. H335 May cause respiratory irritation. H350i May cause cancer by inhalation.

Precautionary Statements:

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P260 Do not breathe dusts or mists.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P281 Use personal protective equipment as required.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P310 Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

See Section 11 for more detailed information on health effects and symptoms.

There are no hazards not otherwise classified that have been identified during the classification process.

There are no ingredients with unknown acute toxicity used in a mixture at a concentration >= 1%.

3. Composition/information on ingredients

Hazardous ingredients

Chemical name	CAS-No.	Concentration (%)
Portland cement	65997-15-1	>= 25 - < 50 %
Quartz (SiO2)		>= 0.1 - < 1 %

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



4. First aid measures

If inhaled: Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and

plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of

the skin heal slowly and with difficulty.

In case of eye contact: Small amounts splashed into eyes can cause irreversible tissue damage and

blindness.

In the case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing

If swallowed: Clean mouth with water and drink afterwards plenty of water. Do not induce

vomiting without medical advice.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person. Take victim immediately

to hospital.

Most important symptoms and effects, both acute and delayed:

Prolonged exposure can cause silicosis.

Health injuries may be delayed.

corrosive effects irritant effects sensitizing effects carcinogenic effects

Cough

Respiratory disorder Allergic reactions

Dermatitis

See Section 11 for more detailed information on health effects and symptoms.

May cause an allergic skin reaction. Causes serious eye damage.

May cause respiratory irritation. May cause cancer by inhalation. Causes severe

burns.

Protection of first-aiders: Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in attendance.

Notes to physician: Treat symptomatically

5. Fire-fighting measures

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.



Specific extinguishing methods:

Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Special protective equipment for

fire-fighters:

In the event of fire, wear self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Use personal protective equipment.

Avoid breathing dust.

Deny access to unprotected persons.

Environmental precautions: Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform respective

authorities.

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up:

Pick up and arrange disposal without creating dust. Keep in suitable, closed

containers for disposal.

7. Handling and storage

Advice on safe handling: Avoid exceeding the given occupational exposure limits (see section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which

this mixture is being used.

Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.

Conditions for safe storage: Prevent unauthorized access.

Store in original container. Keep in a well-ventilated place. Observe label precautions.

Store in accordance with local regulations.

Materials to avoid: No data available

8. Exposure controls/personal protection

Component	CAS-No.	Basis **	Value	Exposure limit(s)* / Form of exposure
Portland cement	65997-15-1	ACGIH	TWA	1mg/m3 Respirable fraction



		OSHA Z-1	TWA	15 mg/m3 total dust
		OSHA Z-1	TWA	5mg/m3 Respirable fraction
		OSHA Z-3	TWA	50 Million particles per cubic foot Dust
		OSHA P0	TWA	10 mg/m3 Total dust
		OSHA P0	TWA	5 mg/m3 respirable dust fraction
Quartz (SiO2)	14808-60-7	OSHA Z-3	TWA	10 mg/m3 / %SiO2+2 respirable
		OSHA Z-3	TWA	250 mppcf / %SiO2+5 respirable
		OSHA P0	TWA	0.1 mg/m3 Respirable fraction
_		ACGIH	TWA	0.025 mg/m3 Respirable fraction
		OSHA Z-1	TWA	0.05 mg/m3 Respirable dust

**Basis

ACGIH. Threshold Limit Values (TLV)

OSHA P0. Table Z-1, Limit for Air Contaminat (1989 Vacated Values)

OSHA P1. Permissible Exposure Limits (PEL), Table Z-1, Limit for Air Contaminant OSHA P2. Permissible

Exposure Limits (PEL), Table Z-2 OSHA Z3. Table Z-3, Mineral Dust

Engineering measures:

Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

^{*}The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.



Personal protective equipment

Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying Respiratory protection:

with an approved standard if a risk assessment indicates this is necessary.

Hand protection

Remarks:

The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing

apparatus must be used.

Chemical-resistant, impervious gloves complying with an approved standard Eye protection:

should be worn at all times when handling chemical products if a risk assessment

indicates this is necessary.

Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary.

Skin and body protection:

Choose body protection in relation to its type, to the concentration and amount of

dangerous substances, and to the specific work-place.

Avoid contact with skin, eyes and clothing.

Hygiene measures: Wash hands before breaks and immediately after handling the product.

Remove contaminated clothing and protective equipment before entering eating

areas.

Wash thoroughly after handling.

Avoid breathing dust.

9. Physical and chemical properties

Appearence: powder

Color: gray

Odor: odorless

Odor Threshold: No data available

Flash point: Note: Not applicable

No data available Ignition temperature:

Decomposition temperature: No data available

Lower explosion limit (Vol%): No data available

Upper explosion limit (Vol%): No data available

Flammability (solid, gas): No data available



Oxidizing properties No data available

Note: Not applicable pН

Melting point/range /

Freezing point

Boiling point/boiling range

Vapor pressure No data available

Density ca.1.0 g/cm3 at 74.7 °F (23.7 °C)

Water solubility Note: insoluble

Partition coefficient: n-

octanol/water

Viscosity, dynamic No data available

No data available Viscosity, kinematic

Relative vapor density No data available

Evaporation rate No data available

No data available Burning rate

Volatile organic compounds

(VOC) content

Not applicable

No data available

No data available

No data available

10. Stability and reactivity

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability The product is chemically stable.

Possibility of hazardous reactions Stable under recommended storage conditions.

Conditions to avoid No data available

No data available Incompatible materials

11. Toxicological information

Acute toxicity

Not classified based on available information

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation Causes serious eye damage.





Respiratory or skin sensitization

Skin sensitization: May cause an allergic skin reaction.

Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Prolonged exposure can cause silicosis.

Aspiration toxicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

IARC Group 1: Carcinogenic to humans

NTP Quartz (SiO2) 14808-60-7

Known to be human carcinogen

Quartz (SiO2) 14808-60-7

12. Ecological Information

Other information Do not empty into drains; dispose of this material and its container in a safe way.

13. Disposal considerations

Disposal methods

Waste from residues Disposal of this product, solutions and any by-products should at all times comply

with the requirements of environmental protection and waste disposal legislation

and any regional local authority requirements.

Contaminated packaging Empty containers should be taken to an approved waste handling site for

recycling or disposal.

14. Transport information

DOT

Not dangerous goods





IATA

Not dangerous goods

IMDG

Not dangerous goods

Special precautions for user

No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory information

TSCA list: All chemical substances in this product are either listed on the TSCA Inventory or

are in compliance with a TSCA Inventory exemption.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Chronic Health Hazard

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 302: This material does not contain any components with a section 302 EHS TPQ.

SARA 313: This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II Ozone-Depletion **Potential**

ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A,

App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



California Prop 65 WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

16. Other information

HMIS Classification



Caution: HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual dricrete™ product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified dricrete™ product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that dricrete™ believes to be reliable as of the date hereof. Prior to each use of any dricrete™ product, the user must always read and follow the warnings and instructions on the product's current Product Date Sheet, product label and Safety Data Sheet for each dricrete™ product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

dricrete™ MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. dricrete™ SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of dricreteTM products are subject to its current terms and conditions of sale available at www.dricrete.us/.

Revision Date 04/24/2019